

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("5231666").PN.	USPAT; USOCR	OR	OFF	2004/02/25 09:11
S2	1	("5349643").PN.	USPAT; USOCR	OR	OFF	2004/07/30 14:59
S3	1	("5401921").PN.	USPAT; USOCR	OR	OFF	2003/11/06 14:48
S4	1	("5778070").PN.	USPAT; USOCR	OR	OFF	2003/11/06 14:48
S5	1	("5844986").PN.	USPAT; USOCR	OR	OFF	2003/11/06 14:48
S6	1	("5937063").PN.	USPAT; USOCR	OR	OFF	2003/11/06 14:49
S7	1	("5944821").PN.	USPAT; USOCR	OR	OFF	2003/11/06 15:00
S8	0	713/200.ccls. and (override adj disable adj pin)	USPAT	OR	OFF	2005/02/21 20:39
S9	0	713/200.ccls. and (override with disable with pin)	USPAT	OR	OFF	2003/11/06 15:14
S10	7	override with disable with pin	USPAT	OR	OFF	2003/11/06 15:03
S11	0	(override with disable with pin) and (hash)	USPAT	OR	OFF	2004/07/30 14:24
S12	0	(override with disable with pin) and (hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 16:32
S13	0	(override same disable same pin) and (hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:04
S14	0	713/200.ccls. and (disable adj pin) and (hash)	USPAT	OR	OFF	2003/11/06 15:14
S15	0	"713".clas. and (disable adj pin) and (hash)	USPAT	OR	OFF	2003/11/06 15:04
S16	3	"713".clas. and (disable with pin) and (hash)	USPAT	OR	OFF	2003/11/06 15:23
S17	0	713/200.ccls. and (disable adj pin)	USPAT	OR	OFF	2003/11/06 15:14
S18	1	713/200.ccls. and (override adj pin)	USPAT	OR	OFF	2003/11/06 15:14
S19	0	"713".clas. and (disable with pin) and (hash) and (intrgrat\$4 adj circuit)	USPAT	OR	OFF	2003/11/06 15:24
S20	0	"713".clas. and (disable with pin) and (hash) and (intrgrat\$4 adj circuit)	USPAT	OR	OFF	2003/11/06 15:24

S21	21	(disable with pin) and (hash) and (integrat\$4 adj circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/06 15:24
S22	72	disable adj pin	USPAT	OR	OFF	2003/11/17 15:07
S23	28	(disable adj pin) and (software)	USPAT	OR	OFF	2003/11/17 15:02
S24	38	override adj pin	USPAT	OR	OFF	2003/11/17 15:07
S25	1	(override adj pin) with (disabl\$4)	USPAT	OR	OFF	2003/11/17 15:09
S26	5	(override adj pin) same (disabl\$4)	USPAT	OR	OFF	2003/11/18 09:16
S27	3	(override adj pin) same (disabl\$4) same (circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 09:39
S28	3	"713".clas. and (override adj disable)	USPAT	OR	OFF	2003/11/18 11:29
S29	2	"380".clas. and (override adj disable)	USPAT	OR	OFF	2003/11/18 11:29
S30	4	"380".clas. and (override adj4 disable)	USPAT	OR	OFF	2003/11/18 11:29
S31	66	override adj disable	USPAT	OR	OFF	2003/11/18 11:33
S32	66	"713".clas. and (enable adj bit) and (security)	USPAT	OR	OFF	2005/02/21 20:41
S33	0	"713".clas. and (enable adj bit) and (override adj pin)	USPAT	OR	OFF	2003/11/18 16:02
S34	4	"713".clas. and (enable adj bit) and (override with pin)	USPAT	OR	OFF	2003/11/18 16:14
S35	0	"380".clas. and (enable adj bit) and (override with pin)	USPAT	OR	OFF	2005/02/21 20:41
S36	1	("5978860").PN.	USPAT; USOCR	OR	OFF	2003/11/19 13:56
S37	1	("5919257").PN.	USPAT; USOCR	OR	OFF	2003/11/19 13:57
S38	1	("6212635").PN.	USPAT; USOCR	OR	OFF	2003/11/19 13:57
S39	1	("5231666").PN.	USPAT; USOCR	OR	OFF	2003/11/19 13:58
S40	1	("5901284").PN.	USPAT; USOCR	OR	OFF	2003/11/19 13:58
S41	1	("5935242").PN.	USPAT; USOCR	OR	OFF	2003/11/19 13:59
S42	1	("6073243").PN.	USPAT; USOCR	OR	OFF	2004/02/25 09:11
S66	1	"5954818".pn.	USPAT; EPO; IBM_TDB	OR	ON	2004/07/29 14:12

S67	20	("4589092"   "4783745"   "4897662"   "5065364"   "5126808"   "5134384"   "5197034"   "5293424"   "5297148"   "5325430"   "5394367"   "5438546"   "5442704"   "5469564"   "5509134"   "5513136"   "5521602"   "5544098"   "5592641"   "5640347").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/07/29 14:12
S68	7	("5954818").URPN.	USPAT	OR	ON	2004/07/30 13:52
S69	112	pass adj phrase	USPAT	OR	ON	2004/07/30 14:14
S70	2	pass near1 phrase.ti.	USPAT	OR	ON	2004/07/30 13:54
S71	7	(firmware pin) with pass adj phrase	USPAT	OR	ON	2004/07/30 13:56
S72	0	(override adj disable adj pin)	USPAT	OR	OFF	2004/07/30 13:59
S73	7	("5954818").URPN.	USPAT	OR	ON	2004/07/30 14:05
S75	0	pass adj phrase with ((by near1 pass) override)	USPAT	OR	ON	2004/07/30 14:15
S76	0	pass adj phrase near20 ((by near1 pass) override)	USPAT	OR	ON	2004/07/30 14:15
S77	9	pass adj phrase and ((by near1 pass) override)	USPAT	OR	ON	2005/02/21 17:28
S78	7	(override with disable with pin)	USPAT	OR	OFF	2005/02/21 17:17
S79	0	(override with disable with hardware adj pin)	USPAT	OR	OFF	2004/07/30 14:24
S80	7	((override bypass) with disable with pin)	USPAT	OR	OFF	2004/07/30 15:57
S81	1587	((override bypass) with disable\$4)	USPAT	OR	OFF	2004/07/30 16:02
S82	0	((override bypass) with disable\$4)and pass near2 phrase	USPAT	OR	OFF	2004/07/30 16:01
S83	8	((override bypass) with disable\$4) with hardware	USPAT	OR	OFF	2004/07/30 15:59
S84	8	((override bypass) with disable\$4) with hardware	USPAT; EPO	OR	OFF	2004/07/30 15:59
S85	8	((override bypass) with disable\$4) with hardware	USPAT; EPO; IBM_TDB	OR	OFF	2004/07/30 15:59
S86	0	((override\$4 bypass) with disable\$4) with authenticat\$	USPAT	OR	OFF	2004/07/30 16:01
S87	1	((override bypass) with disable\$4).ti.	USPAT	OR	OFF	2004/07/30 16:07
S88	0	disabl\$4 with override near1 pin.ti.	USPAT	OR	OFF	2004/07/30 16:08
S89	0	disabl\$4 with override near1 pin	USPAT	OR	OFF	2004/07/30 16:08
S90	0	disabl\$4 with override near1 pin.ti.	USPAT	OR	OFF	2004/07/30 16:09
S91	1	disabl\$4 with override near1 pin	USPAT	OR	OFF	2005/02/18 16:27
S92	380	disabl\$4 near2 override	USPAT	OR	OFF	2004/07/30 16:09
S93	1	("6073243").URPN.	USPAT	OR	ON	2004/07/30 16:17

S94	0	dalvi.as.	USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 20:39
S95	12	dalvi.in.	USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 20:39
S96	2	("5812861").URPN.	USPAT	OR	ON	2004/08/09 20:52
S97	132040	firmware adh hub	USPAT	OR	OFF	2005/02/18 16:27
S98	89	firmware adj hub	USPAT	OR	OFF	2005/02/18 16:27
S99	2	S98 and override	USPAT	OR	OFF	2005/02/18 16:28
S10 0	49	S98 and pin	USPAT	OR	ON	2005/02/18 16:28
S10 1	686	(override with pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 17:41
S10 2	551	(override with pin)	USPAT; EPO	OR	OFF	2005/02/18 16:41
S10 3	0	(override with pin) and pass near2 phrase	USPAT; EPO	OR	OFF	2005/02/18 16:33
S10 4	122	pass near2 phrase	USPAT; EPO	OR	OFF	2005/02/18 16:34
S10 5	1	(override with pin).ti.	USPAT; EPO	OR	OFF	2005/02/18 16:37
S10 6	1	pin near1 controll\$3 near1 access.ti.	USPAT; EPO	OR	OFF	2005/02/18 16:39
S10 7	2	pin with controll\$3 with access.ti.	USPAT; EPO	OR	OFF	2005/02/18 16:38
S10 8	438	pin with controll\$3 with access	USPAT; EPO	OR	OFF	2005/02/18 16:52
S10 9	6	pin near1 controll\$3 near1 access	USPAT; EPO	OR	OFF	2005/02/18 16:39
S11 0	26	("5938771").URPN.	USPAT	OR	OFF	2005/02/18 16:46
S11 1	2	pin with controll\$3 with access and pass near2 phrase	USPAT; EPO	OR	OFF	2005/02/18 16:54
S11 2	0	pin adj controll\$3 adj access and pass near2 phrase	USPAT; EPO	OR	OFF	2005/02/18 16:55
S11 3	1	pin adj controll\$3 adj access	USPAT; EPO	OR	OFF	2005/02/18 16:55
S11 4	0	disabl43 with override with pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 17:41

S11 5	20	disabl\$3 with override with pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 17:49
S11 6	55	overrid\$3 with override adj pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 17:58
S11 7	5	(overriding disabling) with override adj pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 18:07
S11 8	0	override adj disable adj pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 18:07
S11 9	0	override with disable adj pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 18:08
S12 0	0	overrid43 with disable adj pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 18:18
S12 1	78	disable adj pin	USPAT; EPO	OR	OFF	2005/02/18 18:15
S12 2	0	disable adj pin with overrid\$3	USPAT; EPO	OR	OFF	2005/02/18 18:15
S12 3	12	disable adj pin and overrid\$3	USPAT; EPO	OR	OFF	2005/02/18 18:15
S12 4	303	overrid\$3 near2 disable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 18:19
S12 5	2	overrid\$3 near2 disable.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 18:19
S12 6	242	overrid\$3 near2 disable	USPAT; EPO	OR	OFF	2005/02/18 18:24
S12 7	5	overrid\$3 near2 disable and (pass-phrase pass near1 phrase password passcode)	USPAT; EPO	OR	OFF	2005/02/18 18:20

S12 8	1	(Integrated adj circuit IC ) with overrid\$3 near2 disable	USPAT; EPO	OR	OFF	2005/02/18 18:25
S12 9	67	(Integrated adj circuit IC ) and overrid\$3 near2 disable	USPAT; EPO	OR	OFF	2005/02/21 15:07
S13 0	2	("5812861").URPN.	USPAT	OR	OFF	2005/02/18 18:25
S13 1	52	(override adj disable OD) near2 pin	USPAT; EPO	OR	OFF	2005/02/18 18:33
S13 2	2	(override adj disable OD) near2 pin and (integrated adj circuit IC)	USPAT; EPO	OR	OFF	2005/02/18 18:30
S13 3	21	(override adj disable OD) near2 pin and circuit	USPAT; EPO	OR	OFF	2005/02/18 18:33
S13 4	8	(Integrated adj circuit IC ) and (overrid\$3 output) near1 disable near1 pin	USPAT; EPO	OR	OFF	2005/02/21 15:37
S13 5	14	(overrid\$3 output) near1 disable near1 pin	USPAT; EPO	OR	OFF	2005/02/21 15:38
S13 6	32	( ((overrid\$3 output) near1 disable ) OD)near1 pin	USPAT; EPO	OR	OFF	2005/02/21 15:38
S13 7	46	( ((overrid\$3 output) near1 disable ) OD)near1 pin	USPAT; EPO	OR	ON	2005/02/21 15:36
S13 8	16	(Integrated adj circuit IC ) and (overrid\$3 output) near1 disable near1 pin	USPAT; EPO	OR	ON	2005/02/21 15:37
S13 9	8	(Integrated adj circuit IC )and (overrid\$3 output) near1 disable near1 pin	USPAT; EPO	OR	OFF	2005/02/21 15:38
S14 0	18	(Integrated adj circuit IC )and ( ((overrid\$3 output) near1 disable ) OD)near1 pin	USPAT; EPO	OR	ON	2005/02/21 15:54
S14 1	21	(Integrated adj circuit IC )and ( ((overrid\$3 output) near1 disable ) OD)near1 pin	US-PGPUB; USPAT; EPO	OR	ON	2005/02/21 15:54
S14 2	0	S140 not S141	US-PGPUB; USPAT; EPO	OR	ON	2005/02/21 15:54
S14 3	3	S141 not S140	US-PGPUB; USPAT; EPO	OR	ON	2005/02/21 15:54
S14 4	8	(override with disable with pin)	USPAT; EPO	OR	ON	2005/02/21 17:23
S14 5	11	(override with disable with pin)	US-PGPUB; USPAT; EPO	OR	ON	2005/02/21 17:25
S14 6	693	(override output )with disable with pin	US-PGPUB; USPAT; EPO	OR	ON	2005/02/21 17:25

S14 7	34	(override output) near1 disable near1 pin	US-PGPUB; USPAT; EPO	OR	ON	2005/02/21 17:25
S14 8	2	pass near1 phrase.ti.	USPAT	OR	ON	2005/02/21 20:58
S14 9	10825	"81" and phrase	USPAT	OR	ON	2005/02/21 17:36
S15 0	2	S148 and phrase	USPAT	OR	ON	2005/02/21 17:36
S15 1	0	713/200.ccls. and (disable adj pin) and (hash)	USPAT	OR	OFF	2005/02/21 20:37
S15 3	0	713/200.ccls. and (override adj disable adj pin)	USPAT	OR	OFF	2005/02/21 20:38
S15 9	0	713/200.ccls. and (override adj disable adj pin)	USPAT	OR	ON	2005/02/21 20:39
S16 0	36796	pass adj phrase withe ((by near1 pass) override)	USPAT; EPO	OR	ON	2005/02/21 20:39
S16 1	74	"713".clas. and (enable adj bit) and (security)	USPAT	OR	OFF	2005/02/21 20:40
S16 2	88	"713".clas. and (enable adj bit) and (security)	USPAT	OR	ON	2005/02/21 20:41
S16 3	0	"380".clas. and (enable adj bit) and (override with pin)	USPAT	OR	ON	2005/02/21 20:41
S16 4	3	pass near1 phrase with voice	USPAT	OR	ON	2005/02/21 21:01
S16 5	32	pass near1 phrase and voice	USPAT	OR	ON	2005/02/21 21:01